







街築用特殊L形 (A型)




街築用特殊L形(A型) (一般用)



街築用特殊L形(A型) (105型)




車乗入れ用(中)




街築用特殊L形 (A型)


車乗入れ用 1本下り A₁ (右・左)




車乗入れ用 2本下り C₁、C₂ (右・左)




歩行者横断用 1本下り D₁ (右・左)



歩行者横断用 2本下り A₁、B₁ (右・左)




歩行者横断用 3本下り E₁、E₂、E₃ (右・左)




街築用特殊L形 (A型)


歩行者横断用 C₁ (中)



(C₁ 中)



(C₁R 曲線部用)※










街築用特殊L形 (A型)

(単位 m/m)

| コード番号 | 呼び名 | | 寸法 | 質量(kg) | | | |
|-------|----------------------------|----------------------------|------------------|-----------------|----|-----------------|----|
| 14025 | 一般 A | | 315×600×270 | 87 | | | |
| 14086 | 105型 A | | 315×600×220 | 76 | | | |
| 14029 | 車 乗 り 入 れ 用 | B ₁ 中 | 315×600×170 | 65 | | | |
| 14027 | | 1本下り | A ₁ 右 | 315×600×170/270 | 76 | | |
| 14028 | | | A ₁ 左 | | | | |
| — | | 2本下り | C ₁ 右 | 315×600×220/270 | 81 | | |
| — | | | C ₁ 左 | | | | |
| — | | | C ₂ 右 | | | 315×600×170/220 | 70 |
| — | | | C ₂ 左 | | | | |
| 14037 | | 歩 行 者 横 断 用 | C ₁ 中 | 315×600×140 | 58 | | |
| 14035 | 1本下り | | D ₁ 右 | 315×600×140/270 | 72 | | |
| 14036 | | | D ₁ 左 | | | | |
| 14031 | 2本下り | | A ₁ 右 | 315×600×205/270 | 80 | | |
| 14032 | | | A ₁ 左 | | | | |
| 14033 | | | B ₁ 右 | | | 315×600×140/205 | 65 |
| 14034 | | | B ₁ 左 | | | | |
| — | 3本下り | | E ₁ 右 | 315×600×227/270 | 82 | | |
| — | | | E ₁ 左 | | | | |
| — | | | E ₂ 右 | | | 315×600×183/227 | 72 |
| — | | | E ₂ 左 | | | | |
| — | | | E ₃ 右 | | | 315×600×140/183 | 63 |
| — | E ₃ 左 | | | | | | |

街築用特殊L形（車乗り入れ部）（A₃・B₃型）




街築用特殊L形車乗り入れ部

(単位 m/m)

| コード番号 | 呼び名 | 呼び寸法 | 質量(kg) |
|-------|--------------------|---------------------|--------|
| 14071 | A-B ₃ 中 | 400×135×220×600 | 86 |
| 14069 | A-A ₃ 右 | 400×135×220/270×600 | 91 |
| 14070 | A-A ₃ 左 | 400×135×220/270×600 | 91 |

街築用特殊ます (A)




街築用特殊ます (A)


(単位 m/m)

| コード番号 | 呼び名 | 寸法 | 質量(kg) |
|-------|--------------|-------------|--------|
| 27040 | ① 街築用特殊ます | 785×600×H | 514/M |
| 14049 | ② ッ 縁塊 (一般) | 415×600×270 | 85 |
| 14074 | ③ ッ ッ (車) | 415×600×170 | 63 |
| 14075 | ④ ッ ッ (歩) | 415×600×140 | 56 |
| 50116 | ⑤ ッ グレーチングふた | 200×475×60 | - |
| 14048 | ⑥ ッ コ型縁塊 | 370×600×100 | 24 |
| 14050 | ⑦ ッ ッ ふた | 300×460×58 | 21 |



(注) H=注文時に決める。




グレーチングふた





街築用特殊ます縁塊



コ型縁塊用ふた



街築用特殊コ型縁塊



※ () 内寸法は6%勾配製品








鉄筋コンクリートベース（基礎板）

用途

L形溝・U字溝・エプロン・縦断管・円形側溝
ボックスカルバート・L形擁壁その他の基礎として

厚さ 100mm

厚さ 150mm



※上記以外の寸法も受注にて一枚からでも製作可能です。